



For sliding gates weighing up to 3500 kg.

Ideal for industrial use.

Irreversible electromechanical 400 Vac gear motor with built-in Mindy A500 control unit.

Powerful: 550 W absorbed output and a peak thrust of over 400 Nm.

Functionality and safety: programmable, electronic brake which prevents gate inertia; self-ventilated motor to increase the working cycles; optional PIU card to increase the basic functions; possibility of slowdown.

Maximum durability and silence: bronze and metal gears.


Advanced: Tub meets all requirements in terms of control, thanks to the functions which can be selected by means of dipswitches.

Practical: the lever release enables safe and simple operation.

| Code | Description | Price £ |
|----------------|--|-----------------|
| TUB3500 | Irreversible, electromechanical limit switch, 400 Vac, with built-in Mindy A500 control unit | 2,138.30 |

Technical specifications

| Code | TUB3500 |
|-------------------------------------|---------------|
| Electrical data | |
| Power supply (Vac 50 Hz) | 400 |
| Absorption (A) | 1.65 |
| Power (W) | 550 |
| Built-in capacitor (µF) | - |
| Performance data | |
| Speed (m/s) | 0.17 |
| Force (N) | 7740 |
| Work cycle (cycles/hour) | 200 |
| Dimensional and general data | |
| Protection level (IP) | 44 |
| Working temp. (°C Min/Max) | -20 ÷ +50 |
| Dimensions (mm) | 480x240x580 h |
| Weight (kg) | 60 |



Accessories



A500
Spare control unit.
Pc/pack 1
£ 317.40



PIU
Expansion card for control unit.
Pc/pack 1
£ 32.10




ROA81
M6 rack, 30x30x1000 mm, zinc coated, preset for screws and spacers.
Pc/pack 1
£ 46.20



TS
Signboard.
Pc/pack 1
£ 2.80

Nice Racks



For sliding gates or on motors with pinion.

Plastic racks are available for lightweight gates up to 400 kg (LO5) and up to 500 kg (ROA6) and galvanised racks, ideal for any type of sliding gate, residential and industrial: ROA7 for direct welding on the gate, and the practical ROA8 (the spacers are welded onto the gate, and then the rack is screwed onto the spacers).



LO5
Plastic rack
26x26x500 mm,
for gates weighing
up to 400 kg.
Pc/pack 10
£ 6.80



ROA6
M4 25x20x1000 mm
slotted nylon rack
with metal insert
for gates weighing
up to 500 kg.
Pc/pack 10
£ 16.90



ROA7
M4 rack, zinc coated,
22x22x1000 mm.
Pc/pack 10
£ 19.20



ROA8
M4 rack, 30x8x1000 mm,
zinc coated with spacers
and screws.
Pc/pack 10
£ 20.30



ROA81
M6 rack,
30x30x1000 mm,
zinc coated,
preset for screws
and spacers.
Pc/pack 1
£ 46.20

